DCS & Host main connections

Nat Webster & Ben Haycock

Under Pressure Host Main Connections

Activity	Water UK	AWS Desired
Connections 63mm		
or below (not cut-ins)		
Connections		
greater than 63mm		
and cut-ins		
Connections to		
PVC mains		

New contestable activities

This helps us improve customer satisfaction

Correct accreditation must be in place

Gold or Silver on our compliance tracker

AW Internal Training to be in place



Commissioning plans will be followed

Impact plans to be written by Project **Managers**



Anglian Water presence on site during works

New contestable activities

Before and during works there shall be:

- Approved commissioning plan and connection form in place for the UPT
- Speak with the designer and project Manager for your scheme at application stage
- National Water Hygiene, WIRS Accreditation and Anglian Water Internal Training compliant
- Gold or Silver Compliance rating
- Hygienic practices and compliance with Anglian processes
- Must have Anglian Water Representative on site

New Contestable Activities

- In the event of failure will require contingency fittings on site available
- If the impact is significant then this will be discussed at design stage
- Under pressure connections only
- ACS & DCS due to be published 1st April 25



What would you like to know?

Do you have any questions about host main connections?

How do you find Anglian Waters DCS?

Are there any areas that need further explanation?

Are there any things missing from the information you need?