

Annual Contestability Summary

Version 5

Published date: October 2025

Anglian Water Development Services Annual Contestability Summary

| | Number of properties potentially affected by work | | | | | |
|---|---|--------|---------|------|--|--|
| | 50< | 50-199 | 200-499 | 500+ | | |
| Design of new water network (subject to SLP achieving design accreditation) | | | | | | |
| Construction of new mains and service connection assets in accordance with WIRS scope | | | | | | |
| Construction of new mains as part of reinforcement*, mains extension or diversion work | | | | | | |
| Chlorination and pressure testing | | | | | | |
| Meter installation (physical) | | | | | | |
| Taking water quality samples | | | | | | |
| Analysing water quality samples | | | | | | |
| CRMC connections (subject to SLP holding suitable CRMC accreditation) | | | | | | |
| Connection up to 63mm | | | | | | |
| PE/Barrier pipe to: Parent main: 12 < CI/SI/DI/AC/PE/barrier pipe/steel Operational pressure: up to 50m | | | | | | |
| Connection up to 63mm and 300mm | | | | | | |
| PE/Barrier pipe to: Parent main: 12< CI/SI/DI/AC/PE/barrier pipe/steel Operational pressure: up to 50m/h | | | | | | |
| PE/Barrier pipe: Parent main: 12 to 18 (300mm-450mm) CI/ SI/DI/AC/PE/barrier pipe/steel Operational pressure: 50m to 75m | | | | | | |
| Connection more than 300mm | | | | | | |
| Parent main: >18 or high-risk parent material (Such as steel) Operational pressure: >75m | | | | | | |

| Other activities | | | | | |
|--|--|--|--|--|--|
| Valve operation in relation to commissioning new Self-lay works* | | | | | |
| Self-certification of SLP for site water distribution systems designs | | | | | |
| Any size connection to GRP/PVC mains | | | | | |
| Design of Network Reinforcement (Upsizing of existing infrastructure) | | | | | |
| Pipe sizing criteria and the approval of designs by others | | | | | |
| Assessment of network risk and operating live network | | | | | |
| Commission telemetry links (meters/field equipment) | | | | | |
| Connection and decommissioning of diverted mains | | | | | |

- * Please note:
- · All references to PE are to all Polyethylene pipe materials
- \cdot PE pipe sizes are identified by outside (OD) diameter and other pipe materials and sizes refer to internal (nominal bore) diameters
- · Strategic main defined by reference to potential impact of work on a key customer such as a hospital

For further information in relation to our contestability table, please see section 9.3 within the Design and Construction Specification published on our <u>website</u>.