

| Date In | Time In | Time Out | Name       | Company   | Reason for Visit                              | Equipment & Plant Removed/Installed |                     |
|---------|---------|----------|------------|-----------|---|-------------------------------------|---------------------|
|         |         |          |            |           |   | Details                             | Due Date for Return |
| 4.7.24  | 05:40   | 06:10    | [REDACTED] | WROL      | 1 x 28 SIR                                    |                                     |                     |
| 4/7/24  | 9:20    | 10:45    | [REDACTED] | AW<br>IOS | site visit / Impact Plan<br>SAF tank scaffold |                                     |                     |
| 4       | 11      | 10:05    | [REDACTED] | Tubes     | — " —   |                                     |                     |
| 4/7/24  | 09:50   |          | [REDACTED] | AW        | Impact Plan visit                             |                                     |                     |
| 4/7     | 10:45   | 12:50    | [REDACTED] | AW        | OPS   |                                     |                     |
| 4/7     | 13:40   | 14:15    | [REDACTED] | GLW       | 1 x S/OUT                                     |                                     |                     |
| 5.7.24  | 05:30   | 06:15    | [REDACTED] | AWS       | INSTALL SIGN                                  |                                     |                     |
| 5/7     | 7:40    | 9:40     | [REDACTED] | AW        | OPS   |                                     |                     |
| 5/7/24  | 13:00   | 14:00    | [REDACTED] | AW        | beve pumps.                                   |                                     |                     |
| 6/7/24  | 10:50   | 12:10    | [REDACTED] | AW        | Plutonium                                     |                                     |                     |
| 7/7/24  | 14:30   | 15:30    | [REDACTED] | AW        | Plutonium (Sunday ops).                       |                                     |                     |

DROP  
DE

SHT  
EM  
Be

pos  
has

Hea

we

De