

From: EIR
Sent: 26 June 2025 14:00
To: [REDACTED]
Subject: [REDACTED]

Dear requester

Provision of requested information

Thank you for your request for information about if Grimston WRC and phosphorus removal, which we received on 14 June 2025. Your request has been considered under the Environmental Information Regulations 2004.

Grimston WRC currently has a phosphorus consent of 5mg/l which we meet by dosing iron. The rolling average for the site is currently sitting at 3.2mg/l.

There is a proposal for AMP9 (2030 to 2035) for a P scheme at Grimston, with a target of 0.6mg/l.

The information supplied to you continues to be protected by the Copyright, Designs and Patents Act 1988. You are free to use it for your own purposes, including any non-commercial research you are doing, and for the purposes of news reporting. Any other re-use (for example, commercial publication) would require the permission of the copyright holder. It is important that this data is not published for security reasons.

If you are unhappy with the service you have received in relation to your request and wish to request an internal review, you should email EIR@anglianwater.co.uk or write to:

Legal Director, Anglian Water Services, Lancaster House, Lancaster Way, Ermine Business Park, Huntingdon PE29 6XU

If you are not content with the outcome of the internal review, you have the right to apply directly to the Information Commissioner for a decision. The Information Commissioner can be contacted at:

Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire SK9 5AF

If you have any queries about this email, please contact me.

Yours sincerely

EIR Team

Anglian Water Services Limited

Lancaster House, Lancaster Way, Ermine Business Park, Huntingdon, Cambridgeshire PE29 6XU

Email EIR@anglianwater.co.uk