

[REDACTED]

From: EIR
Sent: 10 December 2025 12:56
To: [REDACTED]
Subject: [REDACTED]
Attachments: Pollution and Catchment Risk.xlsx

Dear Requester

Thank you for your request for information about sewer risks and maintenance records, which we received on 12 November 2025. Your request has been considered under the Environmental Information Regulations 2004 (EIR).

You requested:

1. sewer risks and maintenance records

EIR Response: Provision of Requested Information

Please find attachment:

- Pollution and Catchment Risk.xlsx

Item 1 is held by Anglian Water and has been provided as an attachment.

The attached workbook details 12 months of pollution incident data and the location of the incident along with the Water Impact Category for the incident, our Water Recycling Centre Catchment and sub catchment, the risk score for the catchment and ranking.

The risk score is ranked 1 low and 5 high and for Total Risk Ranking 1 is the highest risk.

Due to the nature and numerous sources of data, which isn't identifiable by catchment or sub catchment, it is not possible to provide interventions, budgets or spend allocated across those areas.

IMPORTANT: The information supplied to you continues to be protected by the Copyright, Designs and Patents Act 1988. You are free to use it for your own purposes, including any non-commercial research you are doing, and for the purposes of news reporting. Any other re-use (for example, commercial publication) would require the permission of the copyright holder. It is important that this data is not published for security reasons.

If you are unhappy with the service you have received in relation to your request and wish to request an internal review, you should email EIR@anglianwater.co.uk or write to:

General Counsel, Anglian Water Services, Lancaster House, Lancaster Way, Ermine Business Park, Huntingdon PE29 6XU

If you are not content with the outcome of the internal review, you have the right to apply directly to the Information Commissioner for a decision. The Information Commissioner can be contacted at:

Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire SK9 5AF

If you have any queries about this email, please contact us via EIR@anglianwater.co.uk .

Yours sincerely

EIR Team

Anglian Water Services Limited

Lancaster House, Lancaster Way, Ermine Business Park, Huntingdon, Cambridgeshire PE29 6XU

Email EIR@anglianwater.co.uk